

- Made based on years of experience of FireWare.
- Output adjustable from 1 tot 99 %.
- Can smoke continuously with an output up to 48%.
- Can generate smoke vertically.
- Equipped with a Storz connection.
- Double grip for easy handling.
- Including 5 liters smoke fluid and a remote control.
- Including a plastic box measuring 60\*40\*32,5 cm



## Product details

The FireWare Cumulus is developed, based on years of experience of FireWare. The machine can easily and quickly fill a room with smoke, but can also create a smoldering fire, since the output is adjustable from 1 to 99%. Up until 48% a continuous output is possible. You can make a vertical column of smoke by putting the machine on its backside. This generates a realistic build-up of smoke against the ceiling.

The enclosure is made out of robust stainless steel and has 6 vent holes for optimal heat discharge. The front side of the machine is equipped with a Storz connection. This way you can easily connect a smoke hose. Furthermore, the Cumulus has a build-in timer and control via DMX is possible.

The Neutrik connector can easily transfer power to another device, for example a fire blaze spot. The smoke machines comes in a plastic box from 60x40x32,5 centimeters, including 5 liters FireWare Medium smoke fluid and a remote control with 10 meters of cable. The optional wireless remote control is available separately.

### For more information:

FireWare B.V.  
De Stek 5  
1771 SP Wieringerwerf  
+31 (0)88 252 6000  
info@FireWare.nl  
www.FireWare.nl  
Nederland

## Technical information

|                                      |  |
|--------------------------------------|--|
| Voltage:                             | 230 volts                                    |
| Power consumption (Watt):            | 1.300  |
| Product weight (kg):                 | 10,40  |
| Product dimensions in cm (LxBxH):    | 47,0 x 25,0 x 23,0                           |
| Weight kit (kg):                     | 20,3   |
| Dimensions of the set in cm (LxWxH): | 60,0 x 40,0 x 32,5                           |
| Including box:                       | Yes, plastic box with foam interior          |
| Cable length remote control (m):     | 10,0   |
| Cord length (m):                     | 3,0  |
| Material:                            | Stainless steel                              |
| Type of liquid tank:                 | Separate                                     |
| Tank capacity (L):                   | 5  |
| Heat-up time:                        | 8 minutes                                    |
| Smoke output continuously (m3/min):  | 300  |
| Maximum smoke output (m3/min):       | 1.000  |
| DMX:                                 | Yes  |
| Guarantee:                           | 2 years on product and manufacturing defects |

## Item consists of

|             |  |
|-------------|--|
| 002-012-001 | FireWare Cumulus Smokemachine                    |
| 055-095-010 | Power cord for Cumulus/Stratus EU 3 m            |
| 009-030-002 | FireWare Smoke Fluid Fire Training Universal 5 L |
| 008-002-001 | Wired remote Cirrus/Cuumulus/Stratus 10 m.       |
| 038-091-013 | Plastic Box with Lid, 60x40x32,5 cm, open handle |

### For more information:

FireWare B.V.  
De Stek 5  
1771 SP Wieringerwerf  
+31 (0)88 252 6000  
info@FireWare.nl  
www.FireWare.nl  
Nederland

## Related products



008-012-015  
Wireless remote  
Cumulus/Stratus/Cirrus



008-012-007  
Smoke Aiming  
Piece  
Cumulus/Stratus



008-012-016  
FireWare Smoke  
hose set  
(perforated)



009-030-003  
FireWare Smoke  
Fluid Fire Training  
Intensive 5 L


## You may also like



027-090-003  
FireWare FireSpot



011-012-005  
FireWare Phoenix  
Silkflame



025-012-051  
FireWare Pandora's  
Box V4



009-030-002  
FireWare Smoke  
Fluid Fire Training  
Universal 5 L



009-030-026  
Burning Smell  
extract 500 ml